Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	21	("5541781"   "5644675"   "5692093"   "5701153"   "5781687").PN. OR ("5956090"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/01 10:49
L6	577	386/69.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:48
L7	299	386/65.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:48
L8	187	386/4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:59
L9	72	386/60.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:48
L10	72	386/60.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:48
L11	1249	386/52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:48

			T	T		
L12	22	386/62.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:48
L13	974	348/441.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:48
L14	64	((time with code) or timecode) with (correct\$4 or updat\$3) with resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/01 10:49
L15	56	(time near code) same resolution and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:49
L16		(time near code) same resolution and "345".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:49
L17	53	(time near code) same resolution and "348".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:49
L18	· 58	386/48.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:59

	1				r	1
L19	78	386/61.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:59
L20	296	386/85.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:01
L22	40	resolution and ((time with code) or (timecode)) and 386/65.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:04
L23	6	(resolution and ((time with code) or (timecode))).clm. and 386/65. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:05
L24	0	(resolution and ((time with code) or (timecode))).clm. and 386/85. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:05
L25	2	(resolution and ((time with code) or (timecode))) and 386/85.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:05
S1	8	Kobayashi-Hironari.in.	US-PGPUB; USPAT	OR	ON	2007/06/05 10:57
S2	176	takahashi-daisuke.in.	US-PGPUB; USPAT	OR	ON	2007/04/16 15:09
S3	12	hiroi-makoto.in.	US-PGPUB; USPAT	OR	ON	2007/04/16 15:12

S6	169	tim\$3 near code with resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:19
S9	1681	tim\$3 near code with interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:20
S10	212	tim\$3 near code with interval and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:21
S13	4	("4603412"   "4942551"   "5008875"   "5253243").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/16 17:23
S16	356	(type or format) near (time near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:31
S17	97	(type or format) near (time near code) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:35
S18		(time near code) with (resolution or interval) with (trick or (fast adj forward\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:40

S19	7	(time near code) with (resolution or interval) same (trick or (fast adj forward\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:41
S20	157	(time near code) with (resolution or interval) and (trick or (fast adj forward\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:52
S21	24215	time near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:52
S22	1823	(tim\$3 near code) with (resolution or interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/16 17:53
S23	198	(tim\$3 near code) with (resolution or interval) with (low\$3 or short\$3 or high\$3 or long\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:56
S24	9	((time near code) with normal) and ((time near code) with fast-forward)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:59
S25	3	((time near code) with normal) and ((time near code) with trick)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 17:59

S26	43	((time near code) with normal)	US-PGPUB;	OR	ON	2008/01/30 16:44
		and ((time near code) with special)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		·	
S29	367	(time near code) same resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:20
S30	43	((time near code) with normal) and ((time near code) with special)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:18
S31	37	(time near code) same resolution and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:29
S32	47	(time near code) same resolution and "348".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:43
S33	10	(time near code) same resolution and "345".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:48
S34	15	(time near code) same (resolution or quality) and "345".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:49

				T	1	
S35	109	(time near code) same (resolution or quality) and "348".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:49
S36	101	(time near code) same ((low\$3 high\$3) near resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/17 14:55
S40	36	timecode with resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:16
S43	91	(time adj2 (cod\$4 or stamp\$2)) same (NTSC or PAL or telecin or resolution) same (correct\$4 or convert\$4) same (reproduc\$4 or play\$4 or playback or (play\$3 adj back))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/02 18:07
S62	4	("4603412"   "4942551"   "5008875"   "5253243").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/04 10:14
S65	56	(time near2 code) with (resolution or frequency) same edit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/01 10:07
S79	<b>25</b>	ntsc with pal with time near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:23

S80	204	ntsc with pal with convert\$4 and time near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:53
S81	213	ntsc with pal with (convert\$4 switch\$4) and time near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OŅ	2007/06/04 13:54
S82	19.	ntsc with pal with (switch\$4) and time near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:57
S83	730	ntsc with pal with (switch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/06/04 13:57
S84	304	(ntsc with pal) near5 (switch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:59
S85	45	(ntsc with pal) near5 (switch\$4) and code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:00
S86	1939	(switch\$4 or convert\$4) near8 ntsc near8 pal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:01

			- <sub>1</sub>	<del></del>		
S87	971	(switch\$4 or convert\$4) adj6 ntsc adj6 pal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:01
S88	822	(convert\$4) adj6 ntsc adj6 pal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:01
S97	39	common near3 multiple with time near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 20:59
S10 1	8415	resolution with "600"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:52
S10 4	29	(resolution) with high\$4 with time near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:55
S10 5	420	(hd or high near definition) with convert\$4 with (pal or ntsc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:59
S10 6	12	(hd or high near definition) with convert\$4 with (pal or ntsc) and time near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:00

S10 7	91	(time adj2 (cod\$4 or stamp\$2)) same (NTSC or PAL or telecin or resolution) same (correct\$4 or convert\$4) same (reproduc\$4 or play\$4 or playback or (play\$3 adj back))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:29
S10 9	. 35	interface with edit\$4 with time near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:48
S11 1	246	(time near code) same (fast adj forward\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:20
S11 2	. 49	(time near code) same (zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:26
S11 3	377	(time near code) same (resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:26
S11 4	145	(time near code) with (resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:52
S11 5	13014	(music or audio) near5 mix\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:53

S11 6	25	(music or audio) near5 mix\$4 with time near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:10
S11 7	93	yamauchi-tatsuo.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:13
S11 8	215	(time near3 code) near5 resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 20:59
S12 4	2053	stor\$4 near3 time near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:19
S12 5	258	stor\$4 near3 time near code and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:27
S14 2	182	386/4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:25
S14 3	1171	386/52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:26

				¥	-	<del></del>
S14 4		386/60.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:26
S14 5	21	386/62.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:26
S14 6	290	386/65.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:26
S14 7	558	386/69.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:26
S14 8	31	((time with code) or timecode) with resolution with multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:12
S14 9	2	((time with code) or timecode) with resolution same common with multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/30 17:07
S15 0	20	((time with code) or timecode) with resolution with factor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:07
S15 1	. 1	(US-20040017998-\$).did.	US-PGPUB	OR	ON	2008/01/30 17:09

$\overline{}$	T		1		ì	T
S15 2	1	(US-20040017998-\$).did. and resolution	US-PGPUB	OR	ON	2008/01/30 17:09
S15 3	64	((time with code) or timecode) with (correct\$4 or updat\$3) with resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:16
S15 4	138	((time with code) or timecode) with (correct\$4 or updat\$3) same resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:16